

Variant: NM_000277.2(PAH):c.535T>A (p.Tyr179Asn)

CA229613 [↗](#)

102729 (ClinVar) [↗](#)

Gene: PAH ([HGNC:5053](#))

Condition: phenylketonuria ([MONDO:0009861](#))

Inheritance Mode: Autosomal recessive inheritance

UUID: 1530f57a-9096-4f98-a934-15ce8f576c73

Approved on: 2018-08-10

Published on: 2018-12-10

HGVS expressions

NM_000277.2:c.535T>A

NM_000277.2(PAH):c.535T>A (p.Tyr179Asn)

NC_000012.12:g.102855307A>T

CM000674.2:g.102855307A>T

NC_000012.11:g.103249085A>T

CM000674.1:g.103249085A>T

NC_000012.10:g.101773215A>T

NG_008690.1:g.67296T>A

NG_008690.2:g.108104T>A

ENST00000553106.6:c.535T>A

ENST00000307000.7:c.520T>A

ENST00000549111.5:n.631T>A

ENST00000551988.5:n.556T>A

ENST00000553106.5:c.535T>A

NM_000277.1:c.535T>A

NM_001354304.1:c.535T>A

NM_000277.3:c.535T>A

NM_001354304.2:c.535T>A

NM_000277.3(PAH):c.535T>A (p.Tyr179Asn)

Likely Pathogenic

Met criteria codes **4**

PP3

PM2

PM3

PP4_Moderate

Evidence Links **1**

Expert Panel

Phenylketonuria VCEP [↗](#)

Criteria Specification Information **!**

[↗](#) Criteria Specifications for this VCEP

Evidence submitted by expert panel

Phenylketonuria VCEP

PAH-specific ACMG/AMP criteria applied: PM2: Absent from ExAC, gnomAD, 1000G, ESP; PP3: Deleterious effect predicted in SIFT, Polyphen-2, MutationTaster. REVEL=0.929; PP4_Moderate: Detected in 1 PKU patient, primary BH4 deficiency excluded. Upgraded per ClinGen PAH EP. (PMID:23430918); PM3: Detected with

c.1066-11G>A (P) (PMID:23430918). In summary this variant meets criteria to be classified as likely pathogenic for phenylketonuria in an autosomal recessive manner based on the ACMG/AMP criteria applied as specified by the PAH Expert Panel: (PM2, PP3, PP4_Moderate, PM3).

Met criteria codes

PP3			Deleterious effect predicted in SIFT, Polyphen-2, MutationTaster. REVEL=0.929
PM2			Absent from ExAC, gnomAD, 1000G, ESP
PM3			Detected with c.1066-11G>A (P) Patient genotype: p.Y179N: c.1066-11G>A PubMed:23430918 
PP4_Moderate			Detected in 1 PKU patient, primary BH4 deficiency excluded. Upgraded per ClinGen PAH EP. Detected in 1 PKU patient: previously documented Phe level >360 umol/L and a Phe level >450 umol/L at the screening visit. Patients with a diagnosis of primary BH4 deficiency were excluded from the study. PubMed:23430918 

Curation History

▼

▼

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.